Date: User: Monday, 05/05/2008 1:15:32 PM

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number Estimate Number

: 39047 : 10372

P.O. Number

This Issue Prsht Rev.

: 05/05/2008 S.O. No. :

: NC

: //

: 38994

Type

: MACHINED PARTS

Part Number

Drawing Name

: D312121

: BOLT

Drawing Number

: D3121 REV E : N/A

Project Number Drawing Revision

: E

Material **Due Date**

: 20/05/2008

Qty:

60 Um:

Each

Written By

Comment

First Issue

Previous Run

Checked & Approved By

: Est. A04.02.09 New issue KJ/DS

Est Rev:B ECN 1060 07-11-12 DD verified by:EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

2.0

M303H0500

303 HEX BAR

Comment: Qty.:

0.0417 f(s)/Unit

Total: 2.5020 f(s)

303 HEX BAR

Material: AISI 303 SS 1/2" Hex Bar

(M303H0.500)

Batch: **67980**



HARDINGE

Comment: HARDINGE CNC LATHE SMALL

1-Turn D3121-21

2-Identify as D3121-21

3-Deburr break all sharp edges 0.005" to 0.016"

3.0

QC2







Comment: INSPECT PARTS AS THEY COME OFF MACHINÉ

QC8

Comment: SECOND CHECK



5.0

4.0

PACKAGING

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

Dart Aerospace Ltd

W /O:			WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
			· <u>.</u> . •			< <u></u>						
						æ.						
Part No	:		PAR #: _ <u>.</u> .	Fat	ult Category			NCR: Yes	No DQ	A:	Date:	

QA: N/C Closed: ____ Date: ___

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval QC Inspector
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		
						:		
				;				
					:			
İ	:							

NOTE: Date & initial all entries

Date:

Monday, 05/05/2008 1:15:32 PM

User:

Julie Lecocq

Customer: CU-DAR001 Dart Helicopters Services

Drawing Names DC

Process Sheet

·

Drawing Name: BOLT

Part Number: D312121

Job Number: 39047

Seq. #:

Machine Or Operation:

Description:

6.0

Job Number:

QC21

FINAL INSPECTION/W/O RELEASE



08/05/14/1

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



U 58.05.13

Dart Aerospace Ltd

Duitho	oopao								
W/O:			WC	RK ORDER CHANGE	S				
DATE	STEP	PRO	CEDURE CHAI	NGE	Ву	By Date Qty			Approval QC Inspector
·									
Part No	•	PAR #:	Fault Categ	jory:	NCR: Yes	No DQA	\:	Date:	
								_ Date: _	
NCR:		V	VORK ORDE	R NON-CONFORMAN	ICE (NCF	R)			
		Description of NC		В	Verification		Approval	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Section		Chief Eng	QC Inspector
						:	,		
1									

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: 39047
Description: Bolt	Part Number: D3121-21
Inspection Dwg: D3121 Rev: E	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.375	+/-0.010	0.379	J			
0.050 - 0.060	N/A	0.056	7			
0.080	+/-0.010	0.015	7			
10-32UNF3A	N/A	10-32 W1F3A	7			
						-
	,					
·				•		
					·	
					-	,
					·	

Measured by:	Audited by:	Prototype Approval:	N/A
Date: 08/05/11	Date: 08/05/11	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	04.02.27	New Issue	KJ/RF	
В	06.03.09	Dwg Rev. updated	KJ/JLM	
С	06.06.14	Dwg Rev. updated	KJ/JLM	
D	08.01.16	Dwg Rev. updated	KJ/EC/DD	<u> </u>




DESIGN DRAWN BY		LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHEC	KED	APPROVED	DRAWING NO. REV. E		
	#		D3121 SHEET 1 OF 10		
DATE			TITLE SCALE		
07.1	1.07		BRACKET ASSEMBLY 1:2		
Α		02.04.15	NEW ISSUE		
В		03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146		
C		04.02.17	ADD CLEARANCE; USE -241 BEARING		
D.		06.05.17	D3121-25 CAP WAS 1.024, NOW 1.000		
E		07.11.07	ADD TOLERANCE TO 0.032 (DETAIL B)		



- D3121-21	BOLT (1)
D3121-241	l ` ´
BEARING AS	SSEMBLY (1)

D3121-041 BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-33)




D3121-21 BOLT (1) D3121-241 BEARING ASSEMBLY (1) (2 PLACES)

D3121-13/-14 **BRACKET**

D3121-043 (SHOWN) / D3121-044 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)



D3121-21 BOLT (1) D3121-241 BEARING ASSEMBLY (1) (2 PLACES)

D3121-15/-16 BRACKET


D3121-045 (SHOWN) / D3121-046 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-35/-36)

SHOP COPY **RETURN TO ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER




DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTARI	
CHECKED	APPROVED	DRAWING NO.	REV. E
#	-	D3121	SHEET 2 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN	DRAWN BY		OSPACE LTD ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. E
#	-	D3121	SHEET 3 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1

DETAIL A: SLOT DETAIL SCALE 2:1 VIEW ROTATED






SECTION C-C




DETAIL B: RIDGE DETAIL PARTIAL SECTION SCALE 1:20



SHOP COPY RETURN TO **ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER NO 39047



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED,	DRAWING NO.	REV. E
4	- #	D3121	SHEET 4 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1



D3121-11 BRACKET

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)
MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

5) ENGRAVE DART P/N & LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER 10. 39047

Copyright © 2004 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
#	-#	D3121	SHEET 5 OF 10
DATE	1	TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



DAV3T

D3121-13

1.220 ├ ---- 1.800

 \bigoplus

2.63


6

1.280

0.960

0.330

0.400



D3121-13 BRACKET (SHOWN) D3121-14 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE STRENGTH = 150 ksi MIN YIELD TENSILE STRENGTH = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

5) ENGRAVE DART P/N & LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY

RETURN TO ENGINEERING

UNCONTROLLED COPY

SUBJECT TO AMENDMENT


WITHOUT NOTICE
WORK ORDER

WORK ORDER No. 37047

Copyright @ 2002 by DART AEROSPACE LTD



DESIGN 4	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
#	4	D3121	SHEET 6 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-15 BRACKET (SHOWN) D3121-16 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi

MIN YIELD TENSILE = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES


- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N AND LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY **RETURN TO ENGINEERING UNCONTROLLED COPY** SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER



DESIGN #	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. E
4	-	D3121	SHEET 7 OF 10
DATE	•	TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



D3121-111 BRACKET

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)

MIN ULTIMATE TENSILE = 150 ksi


MIN YIELD TENSILE = 100 ksi

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COP SUBJECT TO AMENDMEN WITHOUT NOTICE




DESIGN	DAKI ALI		OSPACE LTD ONTARIO, CANADA	
CHECKED _	APPROVED,	DRAWING NO.	REV. E	
#	-#	D3121	SHEET 8 OF 10	
DATE		TITLE	SCALE	
07.11.07		BRACKET ASSEMBLY	1:2	



Copyright © 2002 by DART AEROSPACE LTD





DESIGN A DRAWN BY LEE DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED _	APPROVED,	DRAWING NO.	REV. E
#	- #	D3121	SHEET 9 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



Copyright © 2002 by DART AEROSPACE LTD









D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCÈS ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



D3121-19 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM 1) MATERIAL: DELRIN ROD, Ø1.25 FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES




D3121-23 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ
- ALL DIMENSIONS ARE IN INCHES.

0.375 -TAP 10-32 UNF-3A 0.050 TO 0.060

D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015




D3121-25 CAP (SCALE 1:1)

(REF DART SPEC. M-DELRIN-R1.250)

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP GOPALL DIMENSIONS ARE IN INCHES

RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER



D3121-241 BEARING ASSEBLY (SCALE 1:1)

Copyright @ 2002 by DART AEROSPACE LTD

